

<u>Subscribe</u> (Full Service) <u>Register</u> (Limited Service, Free) <u>Login</u>

Search: • The ACM Digital Library • C The Guide

+((((conceal* +or +bypass* +or +"without") <sentence> (op



Nothing Found

Your search for +((((conceal* +or +bypass* +or +"without") <sentence> (operating system))) and ((block or segment or portion or section) <near/6> allocat*)) and (((sequential or concecutive) <near/4> storage <near/4> deallocat*)) did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

• Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

 Capitalize <u>proper nouns</u> to search for specific people, places, or products.

John Colter, Netscape Navigator

• Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term <u>must appear</u> on a page.

museum +art

• Exclude pages by using a - if a search term <u>must not appear</u> on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player

EAST Search History

Ref #	, Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(Dennie near Shaun).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:46
L2	21918137	@ad<"20020118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:47
£3	758	allocat\$4 near3 (first adj (block or segment or portion or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:47
L4	606	allocat\$4 near3 (second adj (block or segment or portion or section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF.	2007/02/20 09:47
L5	299	L3 same L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:47
L6	3819	("without" or "no" or conceal\$3 or bypass\$4) near (operat\$4 adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:47
L7	2	L5 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:47
L8	342276	operat\$4 adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:48
L9	105	L8 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:49

EAST Search History

L10	2	6 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:49
L11	6493	(sequential or consecutive) adj2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:50
L12	0	10 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 09:50



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

□ Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Tue, 20 Feb 2007, 10:09:30 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

 	 _

Recent Search Queries

Search Query Display

- #1 (((conceal* or bypass* or ~~without~~) and (operating system))<in>metadata)
- #2 (allocat* and ((first or second) and (block or segment or portion or section))
 <IN>metadata)
- #3 ((sequential or consecutive) and (memory or storage or buffer or register) <IN>metadata)
- ((deallocating or deallocate or deallocated or deallocatable or allocat*) and (memory or block or storage or buffer)<IN>metadata)
- ((((conceal* or bypass* or ~~without~~) and (operating system))<in>metadata))
 #5

 <AND> ((allocat* and ((first or second) and (block or segment or portion or section))<IN>metadata))
- (((sequential or consecutive) and (memory or storage or buffer or register)

 (IN)-metadata)) <AND> (((deallocating or deallocate or deallocated or deallocatable or allocat) and (memory or block or storage or buffer)

 <IN>metadata))
- (((deallocating or deallocate or deallocated or deallocatable or allocat*) and (memory or block or storage or buffer)<IN>metadata)) <AND> (((sequential or consecutive) and (memory or storage or buffer or register)<IN>metadata))
- (((((conceal* or bypass* or ~~without~~) and (operating system))<in>metadata))
 <AND> ((allocat* and ((first or second) and (block or segment or portion or section))<IN>metadata))) <AND> (((sequential or consecutive) and (memory or storage or buffer or register)<IN>metadata)) <AND> (((deallocating or deallocate or deallocated or deallocated)) and (memory or block or storage or buffer)<IN>metadata)))



Help Contact Us Privac

© Copyright 2006 IE

indexed by inspect